Off the wall music

Beosound Shape is a wall-mounted wireless speaker system for design conscious music lovers – delivering immersive sound staging, a customizable design and integrated noise dampers for improved room acoustics.

Based on a modular tile concept, Beosound Shape is designed to provide ultimate creative freedom. Each tile serves a function as either speaker, amplifier or acoustic damper and can be pieced together in endless combinations.


Living room, hotel lobby or restaurant – whatever the setting, we will let you define the size, colours and even the sound performance to match.





09.2021V02

MEASUREMENTS



BASIC

Product Dimensions (W x H x D)
36.4 x 32 x 11.1 cm

Weight
15 kg (8 tiles setup)

Placement
Wall

Recommended Room Size
20-100 m^2 / 200-1000 ft^2

System Dimensions
Tile with fabric and star rail mounting system:
36.4 x 32.0 x 11.1
The star rail system makes a 6 mm air gap between cabinet and wall

Systems Maximums
Maximum amplifier tiles: 11
Maximum speaker tiles: 44
Acoustic damper tiles: unlimited

AMPLIFIER TILE

Weight
2.0 kg + 0.4 kg (fabric cover)

Power amplifiers
8 x 80 Watt (Class D)

Maximum Speakers per Amplifier
4

Cabinet Color
Black

Connections
- AC power (note if multiple amplifiers, each requires its own AC power connection)
- Optical digital audio input
- USB (for control and SW update)
- Powerlink input
- Amplifier input (sound & control input), for daisy chaining of amplifiers
- Amplifier output (sound & control output), for daisy chaining of amplifiers
- 4 x speaker 4-wire output

SPEAKER TILE

Weight
1.9 kg + 0.4 kg (fabric cover)

Cabinet principle
Closed box

Cabinet Color
Black

Connections
1 x speaker 4-wire input

Speaker Drivers:
Woofer 5¼”
Tweeter ¾”

ACOUSTIC DAMPER TILE

Weight
0.51 kg + 0.4 kg (fabric cover)

Cabinet Color
Black

Note: Acoustic damper tiles can also be used as empty tiles to hide, for example, cables, power strips, or power adapters. You just need to remove the damping material.

09.2021V02

TECHNICAL

Maximum Sound Pressure Level @1m
105 dB (8 tiles setup)

Bass capability @1m
89 dB (8 tiles setup)

Frequency Range
30 - 22.000 Hz (8 tiles set up)

Features
- Band on the wall
- Thermal Protection
- Adaptive Bass Linearization

Remote Control
Bang & Olufsen App
Beoremote Halo
Beoremote One

Beosound Core can be paired wirelessly (Bluetooth Low Energy) with the Beoremote Halo or Beoremote One to complete the music listening experience.

CONNECTIVITY PROVIDED BY BEOSOUND CORE

The Beosound Core connectivity hub (which connects to the optical-in and the USB of the Beosound Shape) provides the wireless streaming connectivity for Beosound Shape. Beosound Core fits into an empty tile.

Beosound Core Dimensions and Weight
Base diameter: 151.2 mm
Height: 43.5 mm
Weight: 290 g
USB-C power supply weight: 150 g

Supported Audio Formats
MP3, WMA, AAC, ALAC, FLAC, WAV, AIFF
Standard sample rates up to 192 kHz, stereo andup to 24 bit
Note: WMA lossless is not supported

Streaming technologies
Chromecast built-in
Apple AirPlay
Bluetooth Audio Streaming
DLNA – DMR
Spotify Connect
QPlay 2.0 (China specific)

Embedded music services
Deezer & TuneIn (Internet Radio)

Wireless Networks
Wi-Fi/WLAN 802.11 a/b/g/n/ac (2.4 GHz & 5 GHz)
and Bluetooth 4.1

Connectors
- 1 x USB-C (for power via external power supply)
- 1 x Powerlink socket (RJ45) with two channels
- 1 x Line-in (analogue & digital combo) with sensing
- 1 x Ethernet
- 1 x Optical digital sound out (for connection to
- the BeoSound Shape)
- 1 x USB (for connection to the BeoSound Shape)
- 1 x Connector for IR-eye

OTHER INFORMATION

Designer
Øivind Alexander Slaatto

09.2021V02

FABRIC


Black


Brazilian Clay


Wild Dove Grey


Parisian Blue


Purple Heart


Warm Taupe

FABRIC BY KVADRAT


Brown


Pink


Moss Green


Dark Blue


Grey Define


Dark Grey Define

WOOD


Dark Oak