
Come closer

Beosound Premiere. A spatial soundbar for those who know the difference.

Whether it's the first viewing of a film, or the unveiling of a long-anticipated album, Beosound Premiere brings life to sound. A spatial audio experience, precision-engineered to put you in the best seat in the house, recreates what the artist intended. Every beat authentic. Every silence intentional. Every note delivered with unwavering fidelity. The way it's meant to be.

A first-of-its-kind form: bold, sculptural, unapologetic. More than a soundbar, it's a statement. Designed for those who hear the difference. Made to take centre stage.



Why you'll love it

- Spatial. Seen differently
- The art of aluminium
- Performance that lasts



Basic

PLACEMENT OPTIONS
- Table stand
- Wall mounted

RECOMMENDED ROOM SIZE
10 - 40 m²

WEIGHT
8,5 kg

Product Dimensions

WALL MOUNTED





TABLE STAND



11.2025V01

Technical

CABINET PRINCIPLE
Closed cabinet

LOCAL BUTTONS
Top touch UI:
Volume up/down, Play/pause,
Step forward/previous, Touch to join
and 4 favorite buttons

Side UI:
Standby, Connectivity/Set-up,
Slider for microphone mute

LOUDSPEAKER
7 Internal channels:
Left, Centre, Right front-firing
Left & Right side-firing (adjustable width)
Left & Right up-firing (adjustable width & height)

AMPLIFIER
10 power amplifiers:
4 x 70 watts amplifiers for woofers
1 x 50 watts amplifier for tweeter
5 x 50 watts amplifiers for left/right/up firing/side firing full ranges

SPEAKER CONFIGURATION
10 custom speaker drivers
4 x 4x3" Racetrack drivers
2 x 2" full range (front firing)
2 x 2" full range (side firing)
1 x 1,5" full range (up firing)
1 x 0,8" tweeter

ADVANCED SOUND FEATURES
Integrated 7.1.4 Dolby Atmos decoding and custom-tuned post-processing with proprietary True Image up- / downmixing algorithm.
Wide Stage technology™
Advanced Bass management system
Adaptive Bass Linearisation (ABL)
Thermal protection

ACTIVE ROOMCOMPENSATION
Yes

FREQUENCY RANGE
32 Hz - 23,000 Hz

MAXIMUM OUTPUT LEVEL (SPL) @1M
102 dB SPL

BASS CAPABILITY @1M
86 dB SPL

SOUND FORMAT HDMI
Dolby Atmos supporting:
Dolby Digital TrueHD
Dolby Digital plus 7.1 (including DD5.1)
Dolby Atmos, Dolby MAT

PCM 7.1 multichannel

MPEG-2 AAC
MPEG-4 HE-AAC

TOUCH UI WITH PROXIMITY SENSOR
Ultrasonic sound for dectection of a person within 60 cm range

POWER CONSUMPTION
Typical: 80 W

TV SCREEN
Optimised for LG OLED C & G series

Connectivity

WIRED CONNECTIVITY
1 x HDMI eARC with passthrough 4K 120FPS / 8K 60FPS / 40Gbit with CEC input
Analogue audio in via USB-C
(3.5 mm passive jack adaptor required. B&O partno. 6271374)
Ethernet switch with 3 x 1 Gbit ports.
One port assigned TV

WIRELESS CONNECTIONS
Dual band WLAN 2.4 / 5GHz IEEE 802.11 b/g/a/n/ac/ax
Bluetooth 5.4 (BLE and EDR)
Bluetooth Codecs: Android (SBC)
iOS: (SBC and AAC)

INTEGRATED MUSIC SERVICES
Bang & Olufsen Radio
TIDAL
Deezer (incl. Deezer HiFi)

VOICE ASSISTANT
Via external Google assistant device

REMOTE CONTROL
Integrated system control, including LG OLED TV
Beoremote One BT
Bang & Olufsen App for music streaming
Beoremote Halo for music streaming

STREAMING SERVICES
Apple AirPlay
Bluetooth audio streaming
HomeMedia
Spotify Connect
TIDAL Connect
Deezer Connect
QPlay 2.0

BEOLINK SURROUND
Enjoy a true surround sound experience by connecting additional speakers to your setup through wired or wireless connections.

MULTIROOM
Apple Airplay multiroom
Beolink Multiroom incl join of TV / HDMI input sound (not in sync) and analogue line-in

SPEAKER OUTPUTS
4 x Digital Power Link

CONTROL CONNECTOR
For future use cases

Other information

DESIGNER
Bang & Olufsen Design team

SOUND MODES
5 pre-defined sound modes

LISTENING POSITIONS
Yes, via manual set-up

IN THE BOX
Beosound Premiere
HDMI cable
LAN cable
Mains cable
Soundbar universal stand (combined wall & table solution)
Soundbar wall plate
Installation guide
Important guide
Drilling template for wall mounting of soundbar
Torx screw driver
Screws for bracket/ stand
Tool for removing speaker cover
USB-C to AUX Adapter
Polishing cloth

11.2025V01

FRAME
Silver aluminium

SPEAKER COVER
Oak



FRAME
Silver aluminium

SPEAKER COVER
Grey mélange fabric



FRAME
Black Anthracite aluminium

SPEAKER COVER
Dark oak



FRAME
Gold Tone aluminium

SPEAKER COVER
Oak





Accessories

It is possible to buy the different covers, and match them to your preference.

Ask in store or visit www.bang-olufsen.com for more information.

